COACHLIFT

www.coachlift.com
contact@coachlift.com

By J&D Mobility

Product Catalog

480-648-0545
877-595-8204



Elegant accessibility solutions for recreational vehicles, agricultural equipment and more

SOLUTIONS

INFORMED BY THE NEEDS OF OUR CUSTOMERS
100% MADE IN THE U.S.A.



Tractor

Available in standing platform and chair options
Can be fitted to virtually any tractor make and model



Motorhome

Adaptable to most Class A, Class C, travel trailer and 5th wheel RVs
Both exterior and interior mounting options available



Boat Trailer

Trailer frame support allows for safe, simple accessibility without modification to the boat



Portable

Ideal for smooth, level surfaces
Suitable for outdoor and indoor applications



Combine

Extra vertical lifting capacity and custom length standing platform with a rugged design to fit most combine applications

ADDITIONAL APPLICATIONS

The CoachLift has also been successfully installed on: Front-end loaders, riding mowers, sprayers, ATV's, semi trucks, yacht decks, camper vans, pick-up trucks, porches, and in-home applications.

RV LIFT

SPECIFICATIONS



Exterior Mount

The exterior mount has a 350 lb. weight capacity and is fitted to the vehicle body via a single-piece mounting bracket bolted through the RV wall. A small steel plate on the interior of the vehicle wall reinforces the mounting bracket at the top and bottom of the lift bracket assembly.
The outside mount can be utilized on RV doors as narrow as 21".
The lift chair will reach down to 17" above the ground in its lowest position and reach up to 26" or more above the interior floor at its highest, allowing the user an ideal exit height.



Interior Mount

The interior mount has a weight capacity of 250 lbs. and is easily mounted to the lower interior step of the RV step well by bolting the included steel collar base plate assembly directly to the step.
It is secured at the top by bolting the included upper stabilization bracket through the RV wall.
The interior mount requires a minimum door clearance width of 24".
The lift chair will reach down to 18" above the ground in its lowest position and reach up to 24" or more above the interior floor at its highest, allowing the user an ideal exit height.

Please call or email us to determine which option is right for you. Customization is a regular part of our business, so don't hesitate to ask if you have a need that we might be able to address. We provide personalized, quality service with each and every lift we build.



RV LIFT

INTERIOR MOUNT



RV LIFT

EXTERIOR MOUNT

AGRICULTURAL LIFT

SPECIFICATIONS



Tractor Lift

The tractor lift is available in both standing platform and seated options.
The weight capacity is 350 lbs. for the platform option and 250 lbs for the chair option.
The CoachLift attaches to the tractor via a mounting bracket bolted to a solid support member of the tractor at the bottom and to the tractor cab at the top.
A dust cover is provided to minimize dirt and debris buildup inside the lift tube.



Combine Lift

The combine lift is available in both standing platform and seated options.
The weight capacity is 350 lbs. for the platform option and 250 lbs. for the chair option.
It is attached by to the combine ladder via a mounting bracket bolted to a solid member of the ladder structure.
A dust cover is provided to minimize dirt and debris build up inside the lift tube.

Please call or email us to determine which option is right for you. Customization is a regular part of our business, so don't hesitate to ask you if have a need that we might be able to address. We provide personalized, quality service with each and every lift we build.



COMBINE LIFT

TRACTOR LIFT



MORE APPLICATIONS



Portable Lift



Front End Loader



Boat Trailer



ATV



Pick-Up Truck



Camper Van

By J&D Mobility, LLC.
1815 W. 1st Ave. Suite #134
Mesa, AZ 85202
877-595-8204
www.coachlift.com
contact@coachlift.com

*Required Field

***Dealer Name:**	***Contact Name:**
Purchase Order # _____ ***Phone _____** **Address Line 1_____** **Address Line 2_____** ***Email: _____**	**Lift User's Name: _____** **User's Disability: _____** **Able to Stand: Yes No With Help** **Able to Walk: Yes No With Help** **Wheelchair: Always Occasionally** ***Weight: _____lbs. Height: _____**
Vehicle Information: **Class A: Gas Diesel Pusher** **Class B Class C Trailer 5th Wheel Van** ***Year & Make: _____** ***Model Name & #: _____** **Outside Mount / Inside Mount** ***Floor Height: _____inches** (ground to RV floor) ***Door Width: _____inches** (usable pass-thru space) ***Ground to Lowest Interior Step: _____ inches** **Existing Step-Well Cover: Yes No** • **If the vehicle does not have an existing step-well cover, one must be furnished by the installer.**	**Potential Obstructions:** **Specify distance from door frame to obstruction if any of the following objects is within 7" of rear door frame.** **Window: _____** **Storage Bay Door: _____** **Slide Out: _____** **Awning Arm: _____** **Other: _____**
Additional Options (additional cost): **Channel Bracket Assembly** **Micro Switch Auto Safety Shutoff** **Wireless Remote Control** **Chair with Removable Arm(s)** **Weatherproof Powerhead Cover**	**Notes:**


COACHLIFT
www.coachlift.com
877-595-8204
maui